

2014



Mongoose 90R



MXU 150



MAXXER 450i

Engine Type	Air cooled, single cylinder 4-stroke	Air cooled, single cylinder 4-stroke	Liquid cooled, single cylinder 4-stroke
Valve Train	SOHC	SOHC	SOHC
Displacement	89 cc	149.9 cc	442.9 cc
Bore and Stroke	47 x 51.8 mm	62 x 49.5 mm	89 x 71.2 mm
Compression Ratio	10.0 : 1	10.0: 1	9.1 : 1
Horsepower	6.3 HP	11 HP	33 HP
Fuel Delivery	Carburetor	Carburetor	Electronic fuel injection
Ignition	Electric / kick start back up	Electric	Electric
Gearbox	Automatic CVT [F-N-R]	Automatic CVT [F-N-R]	Automatic CVT [F-N-R], Shaft Drive with low / high gear & on demand 2WD / 4WD
Spark Plug	CR7HSA	CR7HSA	CR7E
Fuel Capacity	5.5 litres	8.1 litres	15 litres
Suspension (Front)	Single A-arm	Single A-arm	Dual A-arm
Suspension (Rear)	Single swing arm	Single swing arm	Dual A-arm
Brakes (Front)	Dual drum	Dual drum	Hydraulic dual disk
Brakes (Rear)	Hydraulic disk	Single disk	Hydraulic dual disk with parking & foot brake
Tires (Front)	18 / 7 - 8	22 / 7 - 10	23 / 8 - 12
Tires (Rear)	18 / 9 - 8	22 / 10 - 10	23 / 10 - 12
Length / Width / Height	143.5 x 90.5 x 92.5 cm	177.5 x 95 x 104 cm	190.5 x 123 x 121 cm
Seat Height	65 cm	75 cm	85.5 cm
Dry Weight	122 kg	175 kg	274 kg
Ground Clearance	18.4 cm / 7.25 inches	19.7 cm / 7.75 inches	25.4 cm / 10 inches
Towing Capacity	N/A	100 kg / 220 lbs	447 kg / 985 lbs
Warranty	1 year limited	1 year limited	1 year limited
Standard Equipment	Headlight, taillight, auto stop safety lanyard, adjustable throttle limiter, reverse gear	Towing hitch bracket, front & rear cargo racks, digital multi-function display, mirrors	Alloy wheels, 2" receiver hitch, digital multi-function display, aluminium front bumper
Colours	Blue, yellow, red	Red, blue, black	Red, blue, green, white, black, orange
MSRP	\$2,795	\$3,495	\$7,195



TRIKE ZONE
 Corner of Hwy 616 & 780
 Pigeon Lake, Mulhurst, AB
 P: 780-389-3344 F: 780-389-3318
 www.TrikeZone.com sales@TrikeZone.com
 Never Stop Riding!



2014



MXU 450i



MXU 450i LE



MXU 500i



MXU 500i LE

Engine Type	Liquid cooled, single cylinder 4-stroke	Liquid cooled, single cylinder 4-stroke	Liquid cooled, single cylinder 4-stroke	Liquid cooled, single cylinder 4-stroke
Valve Train	SOHC	SOHC	DOHC	DOHC
Displacement	442.9 cc	442.9 cc	498.5 cc	498.5 cc
Bore and Stroke	89 x 71.2 mm	89 x 71.2 mm	92 x 75 mm	92 x 75 mm
Compression Ratio	9.1 : 1	9.1 : 1	10.5 : 1	10.5 : 1
Horsepower	33 HP	33 HP	35.5 HP	35.5 HP
Fuel Delivery	Electronic fuel injection	Electronic fuel injection	Electronic fuel injection	Electronic fuel injection
Ignition	E lectric	E lectric	E lectric	E lectric
Gearbox	Automatic CVT [F-N-R], Shaft Drive with low / high gear & on demand 2WD / 4WD	Automatic CVT [F-N-R], Shaft Drive with low / high gear & on demand 2WD / 4WD	Automatic CVT [P-R-N-H-L], Shaft Drive with low / high gear & on demand 2WD / 4WD, Front Differential Lock	Automatic CVT [P-R-N-H-L], Shaft Drive with low / high gear & on demand 2WD / 4WD, Front Differential Lock
Spark Plug	CR 7E	CR 7E	CR 7E	CR 7E
Fuel Capacity	15 litres	15 litres	16.5 litres	16.5 litres
Suspension (Front)	Dual A-arm	Dual A-arm	Dual A-arm	Dual A-arm
Suspension (Rear)	Dual A-arm	Dual A-arm	Dual A-arm	Dual A-arm
Brakes (Front)	Dual disk / single piston calliper	Dual disk / single piston calliper	Dual disk / single piston calliper	Dual disk / single piston calliper
Brakes (Rear)	Single disk / single piston calliper	Single disk / single piston calliper	Single disk / single piston calliper	Single disk / single piston calliper
Tires (Front)	25 / 8 - 12	25 / 8 - 12	25 / 8 - 12	26 / 8 - 14
Tires (Rear)	25 / 10 - 12	25 / 10 - 12	25 / 10 - 12	26 / 10 - 14
Length / Width / Height	210.8 x 110.2 x 119.2 cm	210.8 x 110.2 x 119.2 cm	221.0 x 122.0 x 125.5 cm	221.0 x 122.0 x 125.5 cm
Seat Height	84.3 cm	84.3 cm	89 cm	90.1 cm
Dry Weight	275 kg	275 kg	305 kg	305 kg
Ground Clearance	26.7 cm / 10.5 inches	26.7 cm / 10.5 inches	26.7 cm / 10.5 inches	26.7 cm / 10.5 inches
Towing Capacity	476 kg / 1050 lbs	476 kg / 1050 lbs	476 kg / 1050 lbs	476 kg / 1050 lbs
Warranty	1 year limited	1 year limited	1 year limited	1 year limited
Standard Equipment	2" receiver hitch, front & rear cargo racks, storage compartment, 12v outlet, mirrors	Standard MXU 450i equipment plus silver alloy wheels & 3000lb winch	2" receiver hitch, front & rear cargo racks, storage compartment, 12v outlet, mirrors	Standard MXU 500i equipment plus 14" black alloy wheels, Kenda Bounty Hunter tires & 3000lb winch
Colours	Red, blue, lime green, black	Metallic silver painted finish	Red, blue, forest green, black	Metallic silver painted finish
MSRP	\$6,695	\$6,995	\$8,195	\$8,695



TRIKE ZONE
 Corner of Hwy 616 & 780
 Pigeon Lake, Mulhurst, AB
 P: 780-389-3344 F: 780-389-3318
 www.TrikeZone.com sales@TrikeZone.com
 Never Stop Riding!



2014



MXU 700i



MXU 700i LE

Engine Type	Liquid cooled, single cylinder 4-stroke	Liquid cooled, single cylinder 4-stroke
Valve Train	DOHC	DOHC
Displacement	694.6 cc	694.6 cc
Bore and Stroke	102 x 85 mm	102 x 85 mm
Compression Ratio	10.5 : 1	10.5 : 1
Horsepower	48 HP	48 HP
Fuel Delivery	Electronic fuel injection	Electronic fuel injection
Ignition	E lectric	E lectric
Gearbox	Automatic CVT [P-R-N-H-L], Shaft Drive with low / high gear & on demand 2WD / 4WD, Front Differential Lock	Automatic CVT [P-R-N-H-L], Shaft Drive with low / high gear & on demand 2WD / 4WD, Front Differential Lock
Spark Plug	CR 7E	CR 7E
Fuel Capacity	16.5 litres	16.5 litres
Suspension (Front)	Dual A-arm	Dual A-arm
Suspension (Rear)	Dual A-arm	Dual A-arm
Brakes (Front)	Dual disk / single piston calliper	Dual disk / single piston calliper
Brakes (Rear)	Single disk / single piston calliper	Single disk / single piston calliper
Tires (Front)	25 / 8 - 12	26 / 8 - 14
Tires (Rear)	25 / 10 - 12	26 / 10 - 14
Length / Width / Height	221.0 x 122.0 x 125.5 cm	221.0 x 122.0 x 125.5 cm
Seat Height	89 cm	90.1 cm
Dry Weight	305 kg	305 kg
Ground Clearance	26.7 cm / 10.5 inches	26.7 cm / 10.5 inches
Towing Capacity	476 kg / 1050 lbs	476 kg / 1050 lbs
Warranty	1 year limited	1 year limited
Standard Equipment	2" receiver hitch, front & rear cargo racks, storage compartment, 12v outlet, mirrors	Standard MXU 700i equipment plus 14" black alloy wheels, Kenda Bounty Hunter tires & 3000lb winch
Colours	Red, blue, black	Metallic silver painted finish, Metallic brown painted finish
MSRP	\$8,995	\$9,695



TRIKE ZONE
 Corner of Hwy 616 & 780
 Pigeon Lake, Mulhurst, AB
 P: 780-389-3344 F: 780-389-3318
 www.TrikeZone.com sales@TrikeZone.com
 Never Stop Riding!



2014



UXV 500i



UXV 500i LE

Engine Type	Liquid cooled, single cylinder 4-stroke	Liquid cooled, single cylinder 4-stroke
Valve Train	DOHC	DOHC
Displacement	498.5 cc	498.5 cc
Bore and Stroke	92 x 75 mm	92 x 75 mm
Compression Ratio	10.5 : 1	10.5 : 1
Horsepower	36 HP	36 HP
Fuel Delivery	Electronic fuel injection	Electronic fuel injection
Ignition	Electric	Electric
Gearbox	Automatic CVT [P-R-N-H-L], Shaft Drive with low / high gear & on demand 2WD / 4WD, Front Differential Lock	Automatic CVT [P-R-N-H-L], Shaft Drive with low / high gear & on demand 2WD / 4WD, Front Differential Lock
Spark Plug	CR7E	CR7E
Fuel Capacity	32 litres	32 litres
Suspension (Front)	Dual A-arm	Dual A-arm
Suspension (Rear)	Dual A-arm	Dual A-arm
Brakes (Front)	Dual disk / single piston calliper	Dual disk / single piston calliper
Brakes (Rear)	Single disk / single piston calliper	Single disk / single piston calliper
Tires (Front)	25 / 8 - 12	25 / 8 - 12
Tires (Rear)	25 / 10 - 12	25 / 10 - 12
Length / Width / Height	287 x 150 x 185 cm	287 x 150 x 185 cm
Seat Height	89 cm	89 cm
Dry Weight	525 kg	525 kg
Ground Clearance	31 cm / 12.2 inches	31 cm / 12.2 inches
Towing Capacity	545 kg / 1200 lbs	545 kg / 1200 lbs
Cargo Bed Capacity	190 kg / 420 lbs	190 kg / 420 lbs
Max. Weight Capacity	350 kg / 770 lbs	350 kg / 770 lbs
Warranty	1 year limited	1 year limited
Standard Equipment	Rider and passenger click & go removable seating, roll cage, seat belts, head rests, half mesh doors, side mirrors, 2" receiver hitch, locking glove box, underseat and under hood storage, digital multi-function display, 12v outlet	Standard UXV 500i equipment plus silver alloy wheels, 3000lb winch & dual beverage holder. Other accessories sold separately.
Colours	Red, blue, orange, black, lime green	Metallic silver painted finish
MSRP	\$10,695	\$11,045



TRIKE ZONE
 Corner of Hwy 616 & 780
 Pigeon Lake, Mulhurst, AB
 P: 780-389-3344 F: 780-389-3318
 www.TrikeZone.com sales@TrikeZone.com
 Never Stop Riding!



2014



UXV 700i



UXV 700i LE

Engine Type	Liquid cooled, single cylinder 4-stroke	Liquid cooled, single cylinder 4-stroke
Valve Train	SOHC	SOHC
Displacement	695 cc	695 cc
Bore and Stroke	102 x 85 mm	102 x 85 mm
Compression Ratio	10.5 : 1	10.5 : 1
Horsepower	45 HP	45 HP
Fuel Delivery	Electronic fuel injection	Electronic fuel injection
Ignition	Electric	Electric
Gearbox	Automatic CVT [P-R-N-H-L], Shaft Drive with low / high gear & on demand 2WD / 4WD, Front Differential Lock	Automatic CVT [P-R-N-H-L], Shaft Drive with low / high gear & on demand 2WD / 4WD, Front Differential Lock
Spark Plug	CR7E	CR7E
Fuel Capacity	32 litres	32 litres
Suspension (Front)	Dual A-arm	Dual A-arm
Suspension (Rear)	Dual A-arm	Dual A-arm
Brakes (Front)	Dual disk / single piston calliper	Dual disk / single piston calliper
Brakes (Rear)	Single disk / single piston calliper	Single disk / single piston calliper
Tires (Front)	25 / 8 - 12	25 / 8 - 12
Tires (Rear)	25 / 10 - 12	25 / 10 - 12
Length / Width / Height	287 x 150 x 185 cm	287 x 150 x 185 cm
Seat Height	89 cm	89 cm
Dry Weight	525 kg	525 kg
Ground Clearance	31 cm / 12.2 inches	31 cm / 12.2 inches
Towing Capacity	545 kg / 1200 lbs	545 kg / 1200 lbs
Cargo Bed Capacity	190 kg / 420 lbs	190 kg / 420 lbs
Max. Weight Capacity	350 kg / 770 lbs	350 kg / 770 lbs
Warranty	1 year limited	1 year limited
Standard Equipment	Rider and passenger click & go removable seating, roll cage, seat belts, head rests, half mesh doors, side mirrors, 2" receiver hitch, locking glove box, underseat and under hood storage, digital multi-function display, 12v outlet	Standard UXV 700i equipment plus silver alloy wheels, 3000lb winch & dual beverage holder. Other accessories sold separately.
Colours	Red, blue, orange	Metallic silver painted finish
MSRP	\$11,695	\$12,195



TRIKE ZONE
 Corner of Hwy 616 & 780
 Pigeon Lake, Mulhurst, AB
 P: 780-389-3344 F: 780-389-3318
www.TrikeZone.com sales@TrikeZone.com
 Never Stop Riding!



2014



UXV 700i HE



UXV 700i SP

Engine Type	Liquid cooled, single cylinder 4-stroke	Liquid cooled, single cylinder 4-stroke
Valve Train	SOHC	SOHC
Displacement	695 cc	695 cc
Bore and Stroke	102 x 85 mm	102 x 85 mm
Compression Ratio	10.5 : 1	10.5 : 1
Horsepower	45 HP	45 HP
Fuel Delivery	Electronic fuel injection	Electronic fuel injection
Ignition	Electric	Electric
Gearbox	Automatic CVT [P-R-N-H-L], Shaft Drive with low / high gear & on demand 2WD / 4WD, Front Differential Lock	Automatic CVT [P-R-N-H-L], Shaft Drive with low / high gear & on demand 2WD / 4WD, Front Differential Lock
Spark Plug	CR7E	CR7E
Fuel Capacity	32 litres	32 litres
Suspension (Front)	Dual A-arm	Dual A-arm
Suspension (Rear)	Dual A-arm	Dual A-arm
Brakes (Front)	Dual disk / single piston calliper	Dual disk / single piston calliper
Brakes (Rear)	Single disk / single piston calliper	Single disk / single piston calliper
Tires (Front)	25 / 8 - 12	25 / 8 - 12
Tires (Rear)	25 / 10 - 12	25 / 10 - 12
Length / Width / Height	287 x 150 x 185 cm	287 x 150 x 185 cm
Seat Height	89 cm	89 cm
Dry Weight	525 kg	525 kg
Ground Clearance	31 cm / 12.2 inches	31 cm / 12.2 inches
Towing Capacity	545 kg / 1200 lbs	545 kg / 1200 lbs
Cargo Bed Capacity	190 kg / 420 lbs	190 kg / 420 lbs
Max. Weight Capacity	350 kg / 770 lbs	350 kg / 770 lbs
Warranty	1 year limited	1 year limited
Standard Equipment	Standard UXV 700i equipment plus True Timber concealed camoflauge body panels. Other accessories sold separately.	Standard UXV 700i equipment plus red aluminium mag wheels, Kenda Bounty Hunter tires, hard top, light bar, ½ windshield, rear cab & cargo nets, fully adjustable high performance shocks, spare tire rack, colour matched seat covers and a rear bumper
Colours	Concealed camoflauge	Black
MSRP	\$12,195	\$13,195



TRIKE ZONE
 Corner of Hwy 616 & 780
 Pigeon Lake, Mulhurst, AB
 P: 780-389-3344 F: 780-389-3318
www.TrikeZone.com sales@TrikeZone.com
 Never Stop Riding!

